Demographic Statistical Methods Division Sample Design and Estimation

2021 AHS Integrated National Sample: Sample Design, Weighting, and Error Estimation

Version 1.0 August 18, 2022

U.S. Census Bureau, Department of Commerce Department of Housing and Urban Development



Table of Contents

	Overview	
2. lı 2.1.	ntegrated National Sample Design	
2.2.	-	
2.3.	·	
2.4.		
	Weighting	
3.1.		
3.2.	. Step 2: Total Housing Units Calibration for Non-Self-Representing PSUs	4
3.3.	. Step 3: Noninterview Adjustment Factor	4
3.4.	. Step 4: Housing and Demographic Adjustment Factors	6
3.5.	. State-Level Weights – Within the AHS Integrated National Sample	8
3.6.	. State-Level Weights – Combination of the Integrated National Sample and the Inc	lependent
	Metropolitan Area Samples	8
4. N 4.1.	Nonsampling Errors	
4.2.	. Nonresponse Error	9
4.3.	. Measurement Errors from Missing Responses to Questions	10
4.4.	. Measurement Error from Inaccurate Responses to Questions	11
4.5.	. Question Validity Errors	12
4.6.	. Processing Errors	12
4.7.	. Additional Considerations	12
5. S 5.1.	Sampling Errors	
5.2.	. Sampling Error for Percentages	16
5.3.	. Sampling Error for Differences	17
5.4.	. Sampling Error for Medians	17
5.5.	. Additional Considerations	22
Apper	ndix A. Further Information on First-Stage Sample Designndix B. Ratio-Adjustment Process Details	1

1. Overview

The purpose of this document is to describe the sample design, weighting, and error estimation for the 2021 American Housing Survey (AHS) Integrated National Sample. The Census Bureau has reviewed this data product to ensure appropriate access, use, and disclosure avoidance protection of the confidential source data used to produce this product (Data Management System (DMS) number: P-7530132, Disclosure Review Board (DRB) approval number: CBDRB-FY22-353.

In 2015, the U.S. Department of Housing and Urban Development (HUD) and the U.S. Census Bureau selected an entirely new sample for the AHS. In 2017, 2019, and 2021 AHS interviewers visited the same housing units selected in the 2015 sample. Additionally, AHS staff selected newly-constructed housing units each survey cycle from using a sampling design similar to the 2015 sample. 2021 also saw an expansion of the HUD-assisted oversample of 6,907 housing units. The Integrated National Sample is described as "integrated" because it incorporates a few different types of samples. The Integrated National Sample includes—

- A representative sample of the nation,
- Representative oversamples of each of the 15 largest metropolitan areas, and
- Representative oversamples of HUD-assisted housing units.²

HUD and the Census Bureau intend to survey the entire Integrated National sample once every two years. As such, it is a longitudinal panel with a two-year survey cycle.

The independent metropolitan area samples include representative samples of ten selected metropolitan areas. For 2021, the ten selected metropolitan areas represent one-half of what HUD and the Census Bureau refer to as the "Next 20" group of metropolitan areas (these are the same half included in the 2017 AHS). The Next 20 group of metropolitan areas is a subset of metropolitan areas ranging from the 16th to 50th largest, by population.³ HUD and the Census Bureau intend to survey each member of the Next 20 group of metropolitan areas once every four years. As such, the Next 20 group of independent metropolitan area samples is a longitudinal panel with a four-year survey cycle.

The Integrated National Sample was interviewed between May 3 and September 30, 2021.

2. Integrated National Sample Design

2.1. Eligible Universe

The universe of interest for the AHS consists of the residential housing units in the United States that exist at the time the survey is conducted. The universe includes both occupied and

¹ AHS consists of two separate samples: the Integrated National Sample and Independent Metropolitan Area Samples. The remaining sections of this document are solely about the former; a separate Sample Design, Weighting, and Error Estimation document explains the metropolitan samples in more detail.

² Includes units in the public housing, project-based rental assistance, and Housing Choice Voucher programs.

³ For more information about how the Next 20 group of metropolitan areas was selected, see <u>"Metropolitan Area</u> Selection Strategy: 2015 and Beyond".

vacant units but excludes group quarters, businesses, hotels, and motels. Geographically, the survey covers the 50 states and the District of Columbia (D.C.).

2.2. Sample Size

For the 2021 AHS Integrated National sample, 95,295 sample housing units were selected for interview.⁴ Of the selected units, 2,295 were found to be ineligible because the units either no longer existed or did not meet the AHS definition of a housing unit.

Of the 93,000 eligible sample units that were selected for interview, 28,859 were classified as noninterviews because (1) no one was at home after repeated visits, (2) the respondent refused to be interviewed, or (3) other reasons such as the interviewer was unable to find the unit. This classification produces a weighted overall response rate of 68.8 percent.

Every sample unit of the 2021 Integrated National Sample was asked a core set of questions. The sample was also randomly split into two samples, and each of these split samples was asked a separate set of additional questions from rotating topical modules. In 2021, in addition to the "core" AHS questions, both split samples were asked questions from the Delinquent Payments and Notices topical module, and one split sample received questions on the topical modules of Expanded Renter Housing Search and Intent to Move while the other split sample received questions on the topical modules of Smoking, Pets, and Wildfire Risk.

2.3. First Stage of Sample Selection: Select Primary Sampling Units

The Integrated National Sample includes a representative sample of housing units for the United States. However, due to budget restrictions, the AHS does not include housing units from every political jurisdiction (that is, county or city) or census area (tract or block group) within the United States. To ensure the AHS sample is representative of all housing units in the United States, the Census Bureau adopted a sampling approach where they first selected representative areas throughout the United States (first-stage sampling), and then they selected housing units within those areas (second-stage sampling).

The first stage of the sample selection was to determine which representative areas within the United States should be included in the sample. To accomplish this, the United States was divided into areas made up of counties or groups of counties known as primary sampling units (PSUs),⁵ of which there are two types: self-representing PSUs and non-self-representing PSUs.

A self-representing (SR) PSU is one that was included in sample with certainty. The sample from a PSU selected with certainty represents only that PSU, hence the term self-representing. The 2021 AHS sample included 85 SR PSUs— one for each of the 85 most populated Core-Based Statistical Areas (CBSAs), where CBSA is defined according to the 2010 Office of Management and Budget as of February 2013.

A non-self-representing (NSR) PSU is a PSU with a probability of selection of less than one, meaning it may or may not be chosen to be in the sample. All counties outside of the top 85

⁴ In the 2014 document "<u>Sample Sizes Determination and Decisions for the 2015 American Housing Survey and Beyond</u>", Bucholtz and Ash discussed how the sample sizes were determined.

⁵ The following are treated as county equivalents: independent cities in Maryland, Missouri, Nevada, and Virginia; boroughs in Alaska; and parishes in Louisiana.

largest CBSAs were grouped into 1,699 NSR PSUs, which were further grouped into 224 strata. The Census Bureau then selected one NSR PSU from each of the 224 strata to represent all PSUs in the strata. The probability of selection of a NSR PSU from a stratum was proportional to the number of housing units in the PSU, relative to the number of housing units within the strata. Appendix A provides more details on the first stage of sample selection.

The end result of the first stage of sample selection is an AHS sample spread over 309 PSUs. The 85 SR PSUs included 547 county and county equivalents, and the 224 NSR PSUs consist of 353 county and county equivalents.

2.4. Second Stage of Sample Selection: Select Housing Units Within PSUs

The second stage of sample selection involved selecting housing units from each of the 309 PSUs. The housing units were selected from a list of all housing units in the United States known as the Master Address File (MAF). The MAF is a data set maintained by the Census Bureau and based on updates from the prior decennial census and semiannual updates from the United States Postal Service (USPS) Delivery Sequence File, which itself consists of the addresses and mail routes serviced by the USPS. The MAF is updated semiannually in January and July, using information provided by the USPS. The 2021 AHS sample was based on the July 2020 MAF.⁶

The second stage of sampling consisted of 95,295 housing units. To ensure the sample was representative of all housing units within the PSU, the Census Bureau stratified all housing units in each PSU into one of the following categories (known as strata):

- A HUD-assisted unit.
- Trailer or mobile home.
- Owner-occupied and one unit in structure.
- Owner-occupied and two or more units in structure.
- Renter-occupied and one unit in structure.
- Renter-occupied and two or more units in structure.
- Vacant and one unit in structure.
- Vacant and two or more units in structure.
- Other units, such as houseboats and recreational vehicles.

The information to create the stratification was based on the 2010 Decennial Census and a 2013 list of HUD-assisted units. The sample rate for each stratum was constant, with the exception of the HUD-assisted strata, which was sampled at a higher rate to achieve the HUD sample requirements. When the longitudinal sample was first selected for 2015, approximately 5,200 HUD-assisted units were in the sample. These units were selected using a frame of HUD-assisted housing units as of 2013. Over time the likelihood that those sample units were still HUD-assisted decreased. To increase the robustness of the HUD-assisted oversample, an

⁶ A small number of housing units (about 130) in remote rural areas, derived from another list known as the Coverage Improvement List were added to the sample.

⁷ In practice, the MAF was merged to both the 2010 Decennial Census and the 2013 HUD-assisted data, thereby permitting stratification of all housing units using the aforementioned housing characteristics.

additional 6,907 HUD-assisted units were selected for the 2021 survey. This additional sample were selected using a frame of HUD-assisted units as of 2019.

3. Weighting

Each housing unit in the AHS Integrated National sample represents itself and between 21 and 27,654 other units.⁸ The exact number it represents is its "weight." The weight was calculated in four steps for two purposes: to minimize sampling errors and errors from incomplete data, and to force consistency with published estimates of certain housing and household characteristics that are believed to come from a more reliable data source.

3.1. Step 1: Base Weight Calculation

Every housing unit in the MAF had a positive probability of being selected into the AHS sample. The reciprocal of this probability of selection is referred to as the base weight and accounts for a sample housing unit's probability of selection in both the first and second stages of the National Sample selection process.

3.2. Step 2: Total Housing Units Calibration for Non-Self-Representing PSUs

Each of the 224 NSR PSUs represents all the PSUs within its respective stratum. The basic weight calculation in Step 1 reflects this feature of the sample design, but, in some cases, the AHS estimate of total housing units in each of the 224 strata and a Census Bureau independent estimate of housing units in the strata differ slightly. The Census Bureau adjusted for differences between these two estimates by calibrating the AHS base weight from Step 1 to the independent estimate of housing units in the strata.

3.3. Step 3: Noninterview Adjustment Factor

Many housing units selected for the AHS have potential respondents who do not complete an interview. Some respondents are never home, refuse to answer, or had a language barrier, and sometimes, although rarely, the housing unit cannot be accessed by passable roads, or the address cannot be found. These sample housing units result in a noninterview, which is also referred to as "unit nonresponse" and is different from "item nonresponse," which covers instances where an interviewee declines to answer a subset of AHS questions.

The noninterview adjustment factor (NAF) deals exclusively with unit nonresponse by expanding the weights of completed interviews to account for similar noninterviews. The calculation of the NAF involves three components:

- 1. Define NAF cells.
- 2. Calculate the NAF.
- 3. Collapse cells, if necessary.

Defining and calculating the NAF cells is a way of reducing the bias due to differential nonresponse. To reduce this nonresponse bias, the Census Bureau formed cells that include sample units that are homogenous to each other within the cells and heterogeneous between

⁸ The mean value of the weights is 2,216. The median value of the weights is 1,470. The lower bound 5th percentile of weights is 302. The upper bound 95th percentile of weights is 5,782.

cells. Homogeneity and heterogeneity for sample units are measured with respect to the household's propensity to respond to the AHS interview.

Table 3.1 summarizes the variables used in combination to define cells of the noninterview adjustment. New research conducted in 2021 improved the noninterview cells to better group sample units into cells with homogenous propensity to complete an AHS interview, especially in light of the lower overall response rate. Using the results of this research, the variables used to create the noninterview cells in 2021 were changed from the previous cycle in the following way: Urban status was replaced by Mode of interview and Division was replaced by Regional Office code.

Table 3.1: Noninterview Cells

Variable	Level Defined	Values
Regional Office	AHS Administrative	Six values
	Region	
Mode of Interview	Housing Unit	(1) Interview done in person
		(2) Interview not done in person
Type of housing unit	Housing Unit	(1) House, apartment or flat
		(2) Mobile home
		(3) Other
2013 Metropolitan Area	County	(1) Metropolitan area: principal city
		(2) Metropolitan area: non-principal city
		(3) Micropolitan area
		(4) Non-CBSA area
Quartiles of median	Census block group	Four values for each of the four quartiles
income		

With the cells defined, the NAF within each cell is calculated as

$$NAF = \frac{Interviews + Noninterviews}{Interviews}$$

For both the numerator and the denominator of the NAF, weighted counts of the number of interviews and noninterviews were used. The counts were weighted using the product of the base weight (step 1) and housing unit calibration (step 2).

Lastly, cells of the NAF were collapsed if they have fewer than 25 sample housing units or the NAF is greater than 2.0. This avoided two potential problems: (1) unstable NAF estimates due to small cell counts and (2) large variances due to large adjustment factors.

It is important to note that some housing units selected for the AHS have respondents who complete enough questions in an interview for it to be considered a completed interview. However, if the respondents did not answer all the questions in the split sample modules, the housing unit is considered a noninterview for the split sample modules and will not have a value for the split sample weight.

3.4. Step 4: Housing and Demographic Adjustment Factors

The last step of calculating the weights is applying the Ratio Adjustment Factors (RAFs) to the weights to improve the coverage and reduce the variance of estimates. This step involves adjusting AHS weights to be consistent with known estimates of housing units and population from other data sources believed to be of superior quality or accuracy—these are referred to as "control totals." The RAF reduces the variance of an estimate when the control totals are associated with the estimated variable of interest.

The process of applying adjustment factor is called "raking." Ratio adjustments are a method of adjusting sample weights with control totals; their implementation is fairly straightforward.

$$RAF = \frac{Independent Estimate}{AHS sample estimate}$$

The calculation of the RAFs for AHS includes five steps:

- 1. Choose control totals and their adjustment priority order.
- 2. Define cells.
- 3. Calculate RAF iteratively, in order of importance (called raking).
- 4. Collapse cells.
- 5. Repeat raking until no further change is observed.

Table 3.2 provides information about the RAFs and their order of implementation. It is important to note the adjustment priority order reflects the importance placed on ensuring the AHS estimates, as adjusted, match the control totals. A higher priority number (order of implementation) reflects the higher priority assignment, with priority #1 being the lowest priority. In other words, HUD and the Census Bureau place greater priority on adjusting AHS weights to match occupied and vacant control totals than the other control totals.

2019 saw the introduction of several new rakes within the National sample that oscillate between state level and CBSA/division level rakes on all the same variables used in 2015, 2017, 2019, and 2021. This accounts for a problem in collapsing certain counties in CBSAs straddling state boundaries. The HUD rake also moved up in the raking order to reflect its higher priority. The 2021 AHS rakes are the same as those used in 2019.

Additional information about the RAF and raking process is contained in Appendix B. Examples of the RAF process are contained in Appendix C.

Table 3.2 Ratio Adjustment Factor Details

Adjustment Priority Order	Control Total	Cell Definition	Data Source(s)
1	Number of new construction housing units	Census Region and two categories of year built (2017–2018, 2019–2020)	Survey of Construction and Manufactured Homes Survey
2	Number of total persons	State	Census Population Division
3	Number of total persons	CBSA*/Balance of State or Division	Census Population Division
4	Number of Black persons	State	Census Population Division
5	Number of Black persons	CBSA*/Balance of State or Division	Census Population Division
6	Number of persons aged 65+	State	Census Population Division
7	Number of persons aged 65+	CBSA*/Balance of State or Division	Census Population Division
8	Number of Hispanic persons	State	Census Population Division
9	Number of Hispanic persons	CBSA*/Balance of State or Division	Census Population Division
10	Number of HUD*-assisted housing units	State and HUD* program type.	HUD*
11	Number of HUD*-assisted housing units	CBSA*/Balance of State or Division and HUD* program type	HUD*
12	Number of occupied housing units	State	Census Population Division ^a
13	Number of occupied housing units	CBSA*/Balance of State or Division	Census Population Division ^q
14	Number of vacant housing units	State	Census Population Division ^a
15	Number of vacant housing units	CBSA*/Balance of State or Division	Census Population Division ^a

^{*} CBSA = Core-Based Statistical Area.

^{*} HUD = U.S. Department of Housing and Urban Development.

⁴ The Census Population Division (POP) produced control counts for the total number of housing units. Using those control counts and occupancy and vacancy rates calculated from information collected in the American Housing Survey, "synthetic" totals for occupied and vacant housing units were derived, where these totals sum to the POP total.

3.5. State-Level Weights – Within the AHS Integrated National Sample

Several states within the Integrated National Sample have large enough sample sizes to provide reasonable state-level estimates, including California, Florida, Illinois, Massachusetts, New York, Pennsylvania, and Texas. The criteria used in 2021 to determine if a state can produce reasonable state-level estimates for a general set of state estimates are the same as 2019:

- 1. Start with states that have reasonable sample sizes and compare the proportion of reliable estimates using Coefficients of Variance (CVs) less than 30 percent with the 25 CBSAs published in the survey cycle.
- 2. If the proportion of reliable estimates is less than those for the worst case (the CBSA with the lowest percentage of estimates having CVs < 30 percent) in the 25 CBSAs, then we do not recommend the state for published estimates.

No special state weights were derived for California, Florida, Illinois, Massachusetts, New York, Pennsylvania, and Texas, since the steps taken to improve the state estimates are part of the calculation of the weights for the Integrated National Sample.

3.6. State-Level Weights – Combination of the Integrated National Sample and the Independent Metropolitan Area Samples

In an effort to produce state-level estimates for additional states, sample from the Integrated National Sample and the Independent Metropolitan Area Samples have been combined for housing units in Maryland and Virginia. With Maryland, we combined the Integrated National Sample of Maryland with the Independent Metropolitan Area Sample from the Baltimore CBSA. Likewise with Virginia, we combined the Integrated National Sample of Virginia with the Independent Metropolitan Area Sample from the Richmond CBSA. However, using the criteria of Section 3.5, we suggest data users use caution due to the smaller proportion of reliable estimates in the two states compared to those in the 25 CBSAs.

For sample housing units in Maryland and Virginia, a special state weight was calculated that was separate from the weights used with the Integrated National Sample and the Metropolitan Sample. This state weight combined the base weights of the two samples in order to minimize the overall variance of the resultant state estimates. With the combined base weights, noninterview adjustment factors and housing and demographic adjustment factors were applied that are analogous to the adjustment factors of the Integrated National Sample described in Sections 3.3 and 3.4.

4. Nonsampling Errors

All numbers from the AHS, except for sample size, are estimates. As in other surveys, two types of general errors occur: sampling errors and nonsampling errors. Sampling errors are discussed in Section 5. The definition of nonsampling errors is—

Nonsampling errors arise mainly due to misleading definitions and concepts, inadequate sampling frames, unsatisfactory questionnaires, defective methods of data collection, tabulation, coding, incomplete coverage of sample units, and so on. These errors are unpredictable and not easily controlled. Unlike sampling error, this error may increase with increases in sample size. If not properly controlled, nonsampling error can be more damaging than sampling error for large-scale household surveys.⁹

The various types of nonsampling errors are discussed in the following sections.

4.1 Coverage Errors

Coverage errors arise from the failure to give some units in the target population any chance of selection into the sample (undercoverage) or giving units more than one chance of selection (overcoverage). Because of deficiencies in the sampling lists, the housing units in the survey may not represent all housing units in the country. The Census Bureau attempts to address the deficiencies by adjusting the raw numbers from the survey proportionally so that the numbers published match independent estimates of the total number of housing units. This is part of the weighting production process described in Section 3. Table 4.1 lists the sources of coverage errors. AHS users do not have to take any additional steps to account for coverage error.

Table 4.1 Sources of Coverage Errors

Type of Unit	Type of Coverage Error
Housing units with Post Office Box address or without 911 address ^a	The Master Address File (MAF) includes 911 addresses because they can be located and does not include Post Office Box addresses.
New construction	Eligible units will be added but there is a lag between the time the unit is eligible and when it is added to the MAF.
Group quarters	Eligible units could be missed because of incorrect answers to questions used to screen out group quarters, which are ineligible units for the American Housing Survey.

A number assigned to a structure that, in conjunction with a street or road name, identifies the location of the structure in the event of an emergency.

4.2. Nonresponse Error

Some respondents refuse the interview or cannot be located. HUD and the Census Bureau correct for nonresponse by implementing NAFs into the weighting process, as discussed in Section 3. AHS users do not have to take any additional steps to account for nonresponse error.

⁹ https://unstats.un.org/unsd/demographic/meetings/egm/Sampling 1203/docs/no 7.pdf

4.3. Measurement Errors from Missing Responses to Questions

Some respondents participate in an interview but refuse to answer questions or do not know a particular answer. For certain questions, HUD and the Census Bureau impute missing responses using various imputation techniques. The Census Bureau does not know how close the imputed values are to the actual values. For other items, "not reported" is used as an answer category. The items with the most missing data are primarily those that people forget or consider sensitive, for example, mortgages, other housing costs, and income.

Incompleteness can cause large errors. A missing response in even ten percent of sample units represents about 14.2 million homes (roughly 142 million homes are in the United States). To give users a sense of the bias caused by missing data, Table 4.2 provides estimates for Errors for Incomplete Data Bias.

Table 4.2 Errors for Incomplete Data Bias for 2021 AHS-Na (numbers in thousands)

When the AHS estimate of	the chances are 90 percent	
the number of housing	that the complete value* is	
units with a characteristic	within the range of plus or	
is	minus	
0	281	
10	281	
100	287	
1,000	340	
2,500	430	
5,000	579	
10,000	878	
25,000	1773	
50,000	3266	
75,000	4291	
100,000	2798	
110,000	2201	
120,000	1603	
125,000	1305	
130,000	1006	
135,000	708	
140,000	469	

Source: U.S. Census Bureau, 2021 American Housing Survey

Table 4.2 is intended to be used only when a particular survey estimate is based on one or more variables with completeness rates of 50 to 90 percent. The values in Table 4.2 are based on a

^a AHS-N = American Housing Survey – Integrated National Sample.

^{*} Complete Value means the value derived if there were no missing data.

1990 analysis¹⁰ by the Census Bureau, which estimated the standard error from missing data to be

$$0.0012 \times U + 0.0363 \times Min (A, U-A)$$

where A is any count of housing units with a characteristic from the AHS and U is the total number of housing units in the U.S. (142,153) or metropolitan area (both in thousands, result also in thousands).

Due to the large number of variables in the AHS, HUD and the Census Bureau typically do not publish completeness rates for individual survey estimates. AHS users who are interested in completeness rates should consider using the AHS public use file (PUF) microdata to estimate completeness rates. When using the PUF to estimate completeness rates, users should be aware of the following:

- PUF variables with a value of "not applicable" should not be considered missing. "Not
 applicable" means the question corresponding to the variable was not asked of the AHS
 respondent because they were not "in universe" for the question. For instance, if a
 respondent reported living in an apartment building, the respondent will not be asked
 questions about mobile home features.
- PUF variable with a value of "not reported" should be considered missing. A PUF
 variable will have a value of "not reported" if respondents did not provide a response,
 and HUD and the Census Bureau did not develop an imputation process for the variable.
- For PUF variables for which HUD and the Census Bureau developed an imputation process, the variable will have a corresponding edit/imputation flag variable indicating whether the value of the variable was imputed for the respondent. The edit/imputation flag variables are the same as the variable name but are preceded by the letter "J." For instance, if a respondent did not report a value for the variable HFUEL (heating fuel), but the respondent's value was imputed, the variable JHFUEL will equal "2," indicating an imputation.
- The edit/imputation flag will take a value of "1" or "3" if the respondent's reported value was edited. These edited values should not be considered missing.
- The correct way to calculate a completeness rate in the AHS is the following:

sum of respondents with reported values – sum of respondents with imputed values¹¹ sum of all "in universe" values

4.4. Measurement Error from Inaccurate Responses to Questions

Wrong answers happen because people misunderstand questions, cannot recall the correct answer, or do not want to give the right answer. See American Housing Survey for the United States: 2005¹² for more discussion on this topic.

¹⁰ How Response Error, Missing Data and Undercoverage Bias Survey Data, P. Burke et. al. 1990.

¹¹ The respondents with imputed values should be zero if a response was not imputed.

¹² https://www.census.gov/library/publications/2006/demo/h150-05.html

4.5. Question Validity Errors

In order to avoid the failure to design a survey question that accurately measures the construct of interest, HUD and the Census Bureau carefully test each new survey question to ensure it is measuring the construct of interest. Although some respondents possibly misinterpret the question, HUD and the Census Bureau do not have any additional information to estimate validity error rates. AHS users do not have to take any additional steps to account for validity error.

4.6. Processing Errors

After the data are collected, errors that can be introduced include data capture errors, data coding and classification errors, and data editing and imputation errors. HUD and the Census Bureau carefully test all aspects of the data capture, coding, classification, editing, and imputation procedures. Although mistakes are possible, HUD and the Census Bureau believe they are minimal. If a processing error is discovered, HUD and the Census Bureau will let AHS users know and, in some cases, will publish revised estimates. AHS users do not have to take any additional steps to account for processing error.

4.7. Additional Considerations

The AHS is a longitudinal survey conducted every two years. Many AHS users compare current-year AHS estimates with prior-year estimates. Users should be aware that HUD and the Census Bureau often make small changes to the text of various questions between surveys. AHS users comparing estimates with prior-year surveys should consult the document "Changes Between Surveys" that is published with each new AHS. ¹³

12

¹³ An example of this document, which shows the changes between 2019 and 2021, is at https://www2.census.gov/programs-surveys/ahs/2021/2021%20AHS%20Historical%20Changes.pdf

5. Sampling Errors

Error from sampling reflects how sample estimates vary from the actual value if all housing units had been interviewed under the same conditions. A confidence interval is a range that contains the actual value with a specified probability.

The Census Bureau uses replication methods to estimate the standard errors of AHS estimates. These methods primarily measure the magnitude of sampling error. However, they do measure some effects of nonsampling error as well. They do not measure systematic biases in the data associated with nonsampling error. Bias is the average over all possible samples of the differences between the sample estimates and the true value.

There are two ways to calculate standard errors for the 2021 AHS microdata file. They are:

- 1. Direct estimates created from replicate weighting methods.
- 2. Generalized variance estimates created from generalized variance function parameters *a* and *b*.

While replicate weighting methods provide the most accurate variance estimates, this approach requires more computing resources and more expertise on the part of the user. If the user has the expertise/familiarity with the data and the computing resources, use of the replicate weights to generate variance estimates is strongly recommended. For further information, see "Quick Guide to Estimating Variance Using Replicate Weights: 2009 to Current", which is available on the Census AHS website:

https://www.census.gov/content/dam/Census/programs-surveys/ahs/tech-documentation/2015/Quick Guide to Estimating Variance Using Replicate Weights 2009 to Current.pdf

The generalized variance function (GVF) parameters provide a method of balancing accuracy with resource usage, as well as a smoothing effect on standard error estimates across time. The use of GVF parameters is the recommended method of calculating standard errors for users of the AHS Summary Tables or data users that do not have the ability to calculate the standard errors using replicate weights. The text below describes how to calculate sampling errors for counts, percentages, medians, and differences using GVFs. The examples provided in this text include assumed or hypothetical estimates, not the actual estimates from the 2021 AHS data.

5.1. Sampling Errors for Counts

Most published estimates from the AHS reflect weighted counts of housing units. The error from sampling for a weighted count is approximated using the following GVF for constructing a 90-percent confidence interval:

$$1.645\sqrt{bA+aA^2},$$

where A is the weighted estimates of housing units, in thousands, from the AHS and a and b are GVF parameters that vary depending on the characteristic being estimated.

Table 5.1 includes the values of *a* and *b* for six housing and household characteristics, plus a seventh set of values for all other characteristics. Users should note that values in Table 5.1 should be used to produce national estimates using the Integrated National Sample and are provided for use with full sample estimates and split sample estimate, by occupancy type."

Table 5.2 includes the values of a and b for types of vacant housing units, which should be used to produce national estimates using the Integrated National Sample. Table 5.3 includes the values of a and b for use when producing estimates for the 15 metropolitan areas within the Integrated National sample.

Table 5.1. General Variance Function Parameters for National Estimates

	Total Occupied		Owner-Occ	Owner-Occupied		cupied
	а	b	а	b	а	b
Full sample characteristic						
Total	-0.000031	4.46	-0.000031	4.50	-0.000023	3.57
Mobile Homes	0.000268	4.39	0.000486	3.99	-0.000043	3.86
New Construction	-0.000728	3.97	-0.000790	4.18	-0.000687	4.00
Below Poverty	-0.000008	3.57	0.000072	3.92	-0.000046	3.17
Black	-0.000121	3.82	-0.000177	4.04	-0.000088	3.59
Elderly	-0.000073	3.28	-0.000078	3.35	-0.000015	2.97
Hispanic	-0.000128	3.19	-0.000145	3.42	-0.000116	3.11
Split sample characteristic						
Total	-0.000052	7.24	-0.000052	7.50	-0.000054	6.97
Mobile Homes	0.000154	7.42	0.000359	7.04	0.000155	7.20
New Construction	-0.001439	7.93	-0.001828	8.67	-0.001993	8.06
Below Poverty	-0.000033	6.62	0.000024	7.43	-0.000120	6.09
Black	-0.000227	7.37	-0.000257	7.72	-0.000129	7.13
Elderly	-0.000127	5.80	-0.000142	6.14	-0.000172	5.82
Hispanic	-0.000241	6.40	-0.000264	6.62	-0.000224	6.54

Source: U.S. Census Bureau, 2021 American Housing Survey

Table 5.2. General Variance Function Parameters for Seasonal and Vacant Housing Units for National Estimates

	Full Sample		Split Sam	ple
Type of Vacant Unit	а	b	а	b
Total Vacant	-0.000011	4.16	-0.000082	6.75
Seasonal	0.001001	3.94	0.000729	6.48
Year-round Vacant	-0.000045	3.55	-0.000100	5.99
For Rent	0.000114	2.50	0.000062	4.69
For Sale Only	-0.000345	2.56	-0.000504	4.81
Rented or Sold	0.000034	2.59	-0.000291	5.14
Occasional Use/URE	0.000599	3.65	0.000640	6.17

Table 5.3 General Variance Function Parameters for Top 15 Metropolitan Area Estimates

		Full Sar	nple	Split Sam	ples
Metropolitan Area	Domain	а	b	а	b
Atlanta, GA	Total Units	-0.000468	1.15	-0.000981	2.40
	Owner-Occupied	-0.000606	1.26	-0.001271	2.58
	Renter-Occupied	-0.000868	1.39	-0.002079	2.95
Boston, MA	Total Units	-0.000391	0.80	-0.000945	1.94
•	Owner-Occupied	-0.000577	0.96	-0.000846	2.02
	Renter-Occupied	-0.000779	1.00	-0.000750	2.11
Chicago, IL	Total Units	-0.000487	1.93	-0.001002	3.96
	Owner-Occupied	-0.000672	2.17	-0.001297	4.34
	Renter-Occupied	-0.000938	2.27	-0.001844	4.72
Dallas, TX	Total Units	-0.000394	1.20	-0.000871	2.66
,	Owner-Occupied	-0.000501	1.39	-0.001095	2.88
	Renter-Occupied	-0.000500	1.47	-0.001380	3.20
Detroit, MI	Total Units	-0.000496	0.95	-0.000995	1.90
	Owner-Occupied	-0.000648	1.08	-0.001319	2.15
	Renter-Occupied	-0.000961	1.07	-0.001991	2.13
Houston, TX	Total Units	-0.000414	1.17	-0.000885	2.50
•	Owner-Occupied	-0.000550	1.36	-0.001163	2.80
	Renter-Occupied	-0.000707	1.48	-0.001606	3.03
Los Angeles, CA	Total Units	-0.000380	1.81	-0.001329	6.33
	Owner-Occupied	-0.000616	2.09	0.001277	4.34
	Renter-Occupied	-0.000660	2.31	-0.000073	5.50
Miami, FL	Total Units	-0.000348	0.93	-0.001058	2.82
·	Owner-Occupied	-0.000507	1.13	-0.000389	2.56
	Renter-Occupied	-0.000463	1.18	0.000044	2.51
New York, NY	Total Units	-0.000399	3.31	-0.000861	7.15
	Owner-Occupied	-0.000672	4.31	-0.001458	9.12
	Renter-Occupied	-0.000771	4.38	-0.001514	9.15
Philadelphia, PA	Total Units	-0.000499	1.30	-0.001074	2.79
•	Owner-Occupied	-0.000616	1.45	-0.001198	3.00
	Renter-Occupied	-0.001060	1.68	-0.002018	3.57
Phoenix, AZ	Total Units	-0.000459	0.93	-0.000955	1.94
	Owner-Occupied	-0.000640	1.10	-0.001194	2.17
	Renter-Occupied	-0.000704	1.02	-0.001335	2.21
Riverside, CA	Total Units	-0.000423	0.67	-0.000863	1.38
•	Owner-Occupied	-0.000507	0.75	-0.001042	1.51
	Renter-Occupied	-0.000482	0.69	-0.001284	1.44
San Francisco, CA	Total Units	-0.000449	0.84	-0.000918	1.71
•	Owner-Occupied	-0.000669	0.98	-0.001380	2.02
	Renter-Occupied	-0.000768	0.99	-0.001430	1.95
Seattle, WA	Total Units	-0.000377	0.63	-0.000835	1.40
•	Owner-Occupied	-0.000495	0.69	-0.000747	1.46

		Full Sample		Split Samples	
Metropolitan Area	Domain	а	b	а	b
	Renter-Occupied	-0.000570	0.75	-0.000632	1.53
Washington, DC	Total Units	-0.000410	1.03	-0.000900	2.27
	Owner-Occupied	-0.000540	1.19	-0.000957	2.50
	Renter-Occupied	-0.000638	1.21	-0.000856	2.48

Source: U.S. Census Bureau, 2021 American Housing Survey

Note that "Total Units" in Table 5.3 means all eligible housing units, including vacant units.

For example, if a user wants to calculate the 90-percent confidence interval of the number of first-time homeowners (assume A = 36,000), then they would look at the Total row under the Owner-Occupied column for the full sample in Table 5.1 and apply the following formula:

$$1.645 \times \sqrt{4.50 \times 36,000 - 0.000031 \times 36,000^2} \cong 574.20$$

This number can be added to and subtracted from the estimate to calculate upper and lower bounds of the 90-percent confidence interval (that is, $36,000 \pm 574.20$). There is a 90 percent chance that this interval contains the actual total and a ten percent chance that it does not.¹⁴

Numbers in the published estimates are shown in thousands, so 36,000 means 36,000,000. The formulas are designed to use numbers directly from the published estimates; do not add zeros. The result is also in thousands, so 574.20 means 574,200.

5.2. Sampling Error for Percentages

Any subgroup can be shown as a percentage of a larger group. The error from sampling for a 90-percent confidence interval for this percentage is

$$1.645\sqrt{\frac{bp(100-p)}{A}}$$

where p is the percentage; A is the weighted denominator, or base of the percentage in thousands; and b is the GVF parameter from Tables 5.1, 5.2, or 5.3.

For example, if a user wants to calculate the 90-percent confidence interval for first-time homeowners (A = 36,000) that have garages (hypothetically, 76.0%), the formula is

This formula gives 90-percent confidence interval errors. For 95-percent confidence interval errors, multiply by 1.96 instead of 1.645; for 99-percent confidence, multiply by 2.576 instead of 1.645.

$$76.0 \pm 1.645 \times \sqrt{\frac{4.50 \times 76.0 \times (100 - 76.0)}{36,000}} = 76.0 \pm 0.8.$$

There is a 90 percent chance that the interval of 75.2 percent to 76.8 percent contains the true percentage of first-time homeowners who have garages.

Note that when a ratio C/D is computed where C is not a subgroup of D (for example, the number of Hispanic persons as a ratio of the number of Non-Hispanic Black persons), the error from sampling is different. The error from sampling for a 90-percent confidence interval for a ratio C/D is

$$1.645 \times \left[\left(\frac{c}{D} \right) \sqrt{\left(\frac{\text{SE for } C}{C} \right)^2 + \left(\frac{\text{SE for } D}{D} \right)^2} \right].$$

The standard error (SE) for C is equivalent to this equation below; use an analogous formula for D.

SE for
$$C = \sqrt{bC + aC^2}$$

where a and b are the GVF parameters from Tables 5.1, 5.2, or 5.3.

5.3. Sampling Error for Differences

Two numbers from the AHS, like 34 percent and 55 percent, have a statistically significant difference if their 90-percent confidence intervals do not overlap.

When 90-percent confidence intervals do overlap, numbers are still statistically different if the result of subtracting one from the other is more than

$$\sqrt{(\text{error for first number})^2 + (\text{error for second number})^2}$$
.

The error for the first and second numbers should be interpreted as the error for a 90-percent confidence interval for the first and second numbers, respectively.

5.4. Sampling Error for Medians

Table 5.4 shows how to calculate the error from sampling for a 90-percent confidence interval for medians. This is an approximation of the error. The steps in Table 5.4 should only be used when the cumulative number of housing units for which the median applies is larger than ten percent of the total number of housing units.

When the cumulative number of housing units for which the median applies is smaller than ten percent of the total number of housing units, the confidence interval on medians cannot be estimated reliably. To estimate a median's sampling error more accurately, use the steps in Table 5.5 to find the sampling error on 50 percent and apply it to compute the 90-percent confidence interval for the median.

The steps in Tables 5.4 and 5.5 are based on hypothetical monthly total housing costs in renter-occupied housing units in the Philadelphia CBSA, shown in Table 5.6. If AHS estimates that there were 803,200 renter-occupied housing units that reported some housing costs in the

Philadelphia CBSA, then A = 803.2. In addition, say the estimated median total monthly household costs is \$1,235.00.

Table 5.4. Steps to Compute the 90-Percent Confidence Interval for a Median for Large Bases

Steps for Calculations	Formula	Example
How many total units is the median based on (in thousands, exclude "not reported" and "don't know")?	A	803.2
What is the estimated standard error of a 50-percent characteristic with a base equaling the total units?	$\sigma = \sqrt{\frac{b(0.5)(1 - 0.5)}{A}}$	$\sqrt{\frac{1.68(0.5)(1-0.5)}{803.2}} = 0.0229$
What are the end points of the category the median is in?	X, Y	\$1000, \$1249
What is the width of this category (in dollars, rooms, or whatever the item measures)?	W	\$249
How many housing units are in this median category (in thousands)?	В	137.6
What is the estimated proportion of the total units falling in the category containing the sample median?	$P = \frac{B}{A}$	$\frac{137.6}{803.2} = 0.1713$
Then the standard error from sampling for the median is approximately:	$se_{median} = \frac{\sigma \times W}{P}$	$\frac{0.0229 \times \$249}{0.1713} = \33.29
The 90-percent confidence interval for the median is:	Median \pm 1.645 \times se _{median}	$$1,235.00 \pm 1.645($33.29)$ = (\$1,180.24,\$1,289.76)

Table 5.5. Steps to Compute the Error from Sampling for a 90-Percent Confidence Interval for a Median for Small Bases

Item	or Small Bases Formula	Bottom Limit Example	Top Limit Example
How many total	FOITIGUE	Bottom Limit Example	тор ший ехапіріе
units is the median			
based on (in	A	803.2	
thousands, exclude	11	333.2	
"not reported")?			
Half the total, for			
the median (in	A / 2	401.6	
thousands)	•		
Error from sampling		1.6060 7064 0.70	
for 50 percent of	b(0.5)(1-0.5)	$1.645 \times \sqrt{\frac{1.68(0.5)(1-0.5)}{803.2}}$	
the base of this	1.645 $\frac{b(0.5)(1-0.5)}{A}$	803.2	
median (first line)	N A	= 0.0376	
Multiply this			
percentage by total	1.(0.5)(10.5)		
units to give the	$1.645 \sqrt{\frac{b(0.5)(1-0.5)}{A}} \times A$	$0.0376 \times 803.2 = 30.20$	
error in housing	A A		
units.			
Bottom of error			
range (second line	$B_{ m bottom}$	371.40*	
minus fourth line, in	D bottom	371.40	
thousands)			
Top of error range			
(second line plus	B_{top}		431.80*
fourth line, in	2 юр		131.00
thousands)			
*Start adding up the			
housing units in this			
table, category by			
category,			
cumulatively from			
the beginning of the		\$1000 to \$1249	\$1250 to \$1499
table, until you			
exceed the starred number above.			
What interval does			
the starred number			
fall in?			
How many housing			
units are in all the			
categories before	С	266.5	404.1
this one (in	C	200.3	704.1
thousands)?			
tilousurius):			

Item	Formula	Bottom Limit Example	Top Limit Example
How many housing units are in this category (in thousands)?	D	137.6	140.9
What is the bottom limit of this category (in dollars, rooms, or whatever the item measures)?	E	\$1000	\$1250
What is the bottom limit of the next category (in dollars, rooms, etc.)?	F	\$1250	\$1500
Formula to calculate limits of confidence interval	$\frac{B-C}{D}(F-E)+E$	$\frac{371.40 - 266.5}{137.6}(250) + 1000$	$\frac{431.80 - 404.1}{140.9}(250) + 1250$
Limits of confidence interval (in dollars, rooms, etc.)		1190.59	\$1299.15

^{*}Starting with this step, this worksheet is equivalent to interpolation.

Table 5.6. Hypothetical Monthly Total Housing Costs in Renter-Occupied Housing Units in the Philadelphia Core-Based Statistical Area for Use with Tables 5.4 and 5.5 (numbers in thousands, except median)

	Number of Housing Units	Cumulative Number of Housing Units
Total	803.2	
Total minus "No cash rent"	803.2	
Monthly Total Housing Costs		
Less than \$100	9.6	9.6
\$100 to \$199	12.1	21.7
\$200 to \$249	21.0	42.6
\$250 to \$299	12.1	54.7
\$300 to \$349	14.7	69.5
\$350 to \$399	3.7	73.2
\$400 to \$449	7.8	81.0
\$450 to \$499	9.6	90.6
\$500 to \$599	15.2	105.7
\$600 to \$699	38.6	144.4
\$700 to \$799	34.3	178.6
\$800 to \$999	87.9	266.5
\$1,000 to \$1,249	137.6	404.1

	Number of Housing Units	Cumulative Number of Housing Units
\$1,250 to \$1,499	140.9	545.0
\$1,500 to \$1,999	159.7	704.7
\$2,000 to \$2,499	51.0	755.7
\$2,500 or more	47.5	803.2
No cash rent (not reported)	0.0	803.2
Median Housing Unit Costs (excl. no cash rent)	\$1,23	35.00

Cumulative total may be slightly off due to rounding.

5.5. Additional Considerations

It should be noted that the minimum error from sampling is plus or minus 10 (meaning plus or minus 10,000). ¹⁵ If a formula gives an error smaller than 10, use 10.

_

¹⁵ This minimum error formula is based on the following binomial 90-percent confidence interval on 0: $U \times (1-.1^{4.33/U}) = 10$, (where U is the total number of housing units from the AHS). For a 95-percent confidence interval, substitute .05 for .1 in the above formula. For a 99-percent confidence interval, substitute .01 for .1.

Appendix A. Further Information on First-Stage Sample Design

Defining Primary Sampling Units

When counties are grouped into primary sampling units (PSUs), the three main requirements are:

- 1. PSUs never cross state boundaries.
- 2. The population of a PSU must be at least 7,500 people.
- 3. Generally, land area of PSUs should not exceed 3,000 square miles.

Requirements 2 and 3 reflect subtler difficulties encountered during the sample design. Requirement 2 addresses the problem that some counties lack enough housing units to ensure the American Housing Survey (AHS) will have enough sample units available throughout the lifetime of the survey, given the requirements of the Census Bureau. Requirement 3 addresses the problem that some counties, particularly in the western United States and Alaska, are so geographically large and often contain difficult terrain with few main or secondary roads to travel, which poses significant practical burdens..

Requirement 2 took priority over requirement 3, which meant that every PSU had at least a population of 7,500, even if that meant having some PSUs with a land area greater than 3,000 square miles. Four PSUs in Alaska were the exceptions due to their large geographic size.

Stratifying Non-Self-Representing PSUs

Stratification reduces the variance stemming from the first-stage sample design by grouping PSUs together that are homogeneous within the stratum and heterogeneous between strata with respect to variables of interest. This works because if units are alike within a given stratum, the overall estimate will not change much if different sample units are selected within the stratum.

To find the optimal set of strata, the Census Bureau minimized the measure of homogeneity within strata, which was the weighted average of the coefficient of variation for eight totals associated with many AHS estimates. The eight variables chosen to measure homogeneity within first-stage strata are listed in Table A1.

_

¹⁶ The design of the 2015 AHS sample was part of a larger effort to redesign the demographic surveys of the Census Bureau that happens once a decade. The large demographic surveys included the Current Population Survey, Survey of Income and Program Participation, National Crime Victimization Survey, and the Consumer Expenditure Surveys. Statisticians from all surveys worked together to coordinate sample and share resources in the effort to redesign their surveys. Additionally, the survey samples are coordinated with the goal that no housing unit in the United States will be selected for more than one of the aforementioned surveys within any 5-year time period.

Table A1. Totals Chosen for Homogeneity Measures Within First-Stage Strata

Statistic
Urban housing units
Housing units with Hispanic head of household
Vacant-for-rent housing units
Owner-occupied housing units
Occupied housing units lacking complete kitchen facilities
Year-round housing units
Renter-occupied housing units
Households with low income
(Householder income < 15th percentile in 2010 census)

The following three constraints were used to create the non-self-representing (NSR) strata.

- 1. The largest NSR PSUs within a stratum could not be more than ten percent larger in Measure of Size (MOS) than the smallest in the stratum.
- 2. Every stratum existed entirely within one of the nine census divisions.
- 3. Strata within census divisions were formed to be of equal size with respect to the MOS. This goal was accomplished by constraining the largest NSR stratum within a division to be no more than 20 percent larger than the smallest NSR stratum, wherein the MOS of a stratum is simply the sum of the MOS of every NSR PSU within the stratum.

While abiding to these constraints, an iterative algorithm was used to generate many possible sets of strata, and the set of strata that minimized the coefficient of variation within the eight variables shown in Table A1 was chosen as the final, defined set of strata for the national first-stage sample design.

Appendix B. Ratio-Adjustment Process Details

In the last step of calculating the weights, the Census Bureau applied the Ratio Adjustment Factor (RAF) to the weights to improve the coverage and reduce the variance of estimates. These goals were achieved by adjusting American Housing Survey (AHS) weights to be consistent with control totals of housing units and population. The RAF also reduces the variance of an estimate when the control totals are associated with the estimated variable of interest.

Generally speaking, ratio adjustments are a method of adjusting sample weights with control totals and their implementation is fairly straightforward. Take a control total, X, and its corresponding estimate, \hat{X} , and multiply sample weights by a factor of X/\hat{X} . This calculation results in adjusted sample weights that produce estimates that are much closer to the control total.

The calculation of the RAFs for AHS can be broken down into five steps.

- 1. Choose Control Totals.
- 2. Define Cells.
- 3. Calculate the RAF.
- 4. Collapse RAF Cells.
- 5. Repeat Raking.

Step 1. Choose Control Totals

As mentioned previously, the Census Bureau wants control totals, X, that are associated with the variable of interest. Control totals also require a reasonable corresponding estimate, \hat{X} , from AHS. Both the control total, X, and the AHS estimate, \hat{X} , should define the same total. For example, a ratio adjustment for the total number of U.S. Department of Housing and Urban Development (HUD) housing units requires that both X and \hat{X} represent the same geographic area, apply to the same type of HUD program, and have the same reference period.

A second requirement for the control totals is that they should be a better estimate than the estimate produced from AHS. Again, these control totals are assumed to be more accurate than the AHS estimates and also have no variance.

Based on these two requirements, the following three data sources for control totals, described in Table B1, were considered to be suitable for ratios adjustments in 2021.

Table B1. Sources of Control Totals

Control Total Candidates	Data Source
Number of housing units in	HUD*, based on 2021 HUD* program data.
HUD* programs	
Number of new construction	HUD* and the Census Bureau, based on estimates from the
housing units	2017–2020 Survey of Construction and Manufactured
	Housing Survey, which were combined to define the new
	construction control totals.
Total population and housing	2021 household population and housing unit demographic
unit counts by various	analysis projections derived from the 2020 census and
characteristics	estimated for July 1, 2021, by the Census Bureau Population
	Division. [†]

^{*} HUD = U.S. Department of Housing and Urban Development.

Given all possible control totals available in the sources listed in Table B1, HUD and the Census Bureau chose eight sets of totals within these three data sets to use for its RAF, as well as the priority order for which they are applied, which are presented in Table B2.

[†] Census Bureau Population Division applied "Blended base" method. More information can be found here: https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/2020-2021/methods-statement-v2021.pdf

Table B2. Ordered List of Control Totals

Order	Control Total	Cell Definition	Data Source(s)
1	Number of new construction	Census Region and two	Survey of
	housing units	categories of year built	Construction and
		(2017–2018, 2019-2020)	Manufactured Homes
			Survey
2	Number of total persons	State	Census Population
			Division
3	Number of total persons	CBSA*/Balance of State or	Census Population
_		Division	Division
4	Number of Black persons	State	Census Population
	Nh	CDCA*/D-1	Division
5	Number of Black persons	CBSA*/Balance of State or	Census Population
6	Number of persons agod 65 L	Division	Division
О	Number of persons aged 65+	State	Census Population Division
7	Number of persons aged 65+	CBSA*/Balance of State or	Census Population
,	Number of persons aged 05+	Division	Division
8	Number of Hispanic persons	State	Census Population
	realiser of maparite persons	State	Division
9	Number of Hispanic persons	CBSA*/Balance of State or	Census Population
	·	Division	Division
10	Number of HUD*-assisted	State and HUD* program	HUD
	housing units	type	
11	Number of HUD*-assisted	CBSA*/Balance of State or	HUD*
	housing units	Division	
12	Number of occupied housing	State	Census Population
12	units	State	Division
13		CBSA*/Balance of State or	
13	Number of vacant housing	Division	Census Population Division
	units		
14	Number of occupied housing	State	Census Population
	units		Division
15	Number of vacant housing	CBSA*/Balance of State or	Census Population
	units	Division	Division
* 6564 6			

^{*} CBSA = Core-Based Statistical Area. HUD = U.S. Department of Housing and Urban Development.

Step 2. Define Cells

Control totals within specifically defined groups of housing units, which are referred to as "cells," were acquired for each of the chosen totals above. Estimates from the AHS were also calculated within these cells, and both of these were used to calculate RAFs.

Table B2 summarizes the cells for each set of ratio adjustments.

All of the ratio adjustments were applied at the division/state/county level except the new construction control totals, which were at the region/year level. Because Core-Based Statistical Areas (CBSAs) can cross both division and state boundaries, the control totals were defined for the pieces of a CBSA in different divisions or states and for the remainder of the states and divisions.

Cells defined by states. As mentioned in Section 3.5, several states had large enough sample sizes within the Integrated National Sample to produce reasonable estimates. Ratio adjustments at the state level were included to improve the state-level estimates for California, Florida, Georgia, Illinois, Massachusetts, New Jersey, New York, Pennsylvania, and Texas. (Note that not all of these states ended up meeting the reasonableness criteria laid out in Section 3.5).

Cells defined by HUD programs. The cells for the ratio adjustments of HUD housing units included four types of HUD programs: public housing, private-project based, vouchers, and non-HUD.

Step 3. Calculate the RAF

With the cells defined, the RAF for the first chosen control total—new construction—was calculated as

Control Total AHS Estimated Total

This factor was then multiplied by the AHS weights to adjust AHS estimated counts within each cell. Ratio adjustments were applied iteratively using each of the remaining chosen control totals and their respectively defined cells in a process that is called raking. Each cell of each rake of Table B2 was adjusted using the above equation.

Step 4. Collapse RAF Cells

RAF cells were collapsed for the same reasons noninterview adjustment factor cells were collapsed: (1) because a small number of sample housing units may produce an unstable estimate of the RAF and (2) to avoid large sample weights. To address both issues, cells are required to have at least 25 housing units, and the RAF must be less than or equal to 2.0. Cells were only collapsed after the first iteration of the raking through all of the chosen control totals in Table B2.

Step 5. Repeat Raking

After completing the first iteration of rakes and checking to see which cells need collapsing, raking was repeated using the ratios of chosen control totals over the modified AHS estimates until the AHS estimated totals stopped changing significantly between each raking step.

Appendix C provides a detailed example of how AHS uses raking within cells and across chosen totals.

Appendix C. Examples of Ratio Adjustments

This appendix provides two hypothetical examples that demonstrate how the sample weights were adjusted so that they were consistent with a set of control totals. The first example is a ratio adjustment, and it is provided as context because it is a special case of raking—one rake. The second example demonstrates how to complete a more complicated raking adjustment.

For the two examples, assume weights were calculated for a sample and the weights included all weighting adjustments up through a nonresponse adjustment. With these weights, hypothetical totals by two categories of tenure status (owner or renter) and two categories of type of construction (old or new) are assumed. Table C1 summarizes the estimated totals resulting from this hypothetical sample and weights.

Table C1: Estimated Totals

	Owners	Renters	Total
New	110	91	201
Old	97	107	204
Total	207	198	405

Example 1: Ratio Adjustment

Suppose the control totals were as shown in Table C2.

Table C2: Example 1 Control Totals

	Owners	Renters	Total
New	115	105	220
Old	95	105	200
Total	210	210	420

The control totals of Table C2 are used to improve the weights by making the estimates from the weights consistent with the control totals. Table C3 shows the Ratio Adjustment Factor (RAF) that will make the estimated totals consistent with the control totals.

Table C3: Example 1 Ratio Adjustment Factors

	Owners	Renters
New	115/110 = 1.0455	105/91 = 1.1583
Old	95/97 = 0.9794	105/107 = 0.9813

If the factors from Table C3 are applied to the weights of the sample units, then the estimates from the revised weights will be consistent with the totals of Table C2.

Note that ratio-adjusted weights for the combination of owners and new construction is the product of the weight before raking with the RAF, that is,

Ratio-adjusted weight = original weight \times 1.0455

The ratio-adjusted weights for the other three cells are defined similarly.

Example 2: Raking Adjustment

Table C4 shows different control totals than those of Table C2.

Table C4: Example 2 Control Totals

	Owners	Renters	Total
New	?	?	220
Old	?	?	200
Total	210	210	420

Table C4 does not have the totals for the specific combinations of tenure status and old or new construction; however, totals can be used with raking to improve the weights.

Raking is the repeated application of ratio adjustments to the marginal totals. Ratio adjustments are repeated for each set of marginal totals—the row totals and the column totals in this example. It can be shown that raking will converge to a unique solution.

First, raking the categories of old or new construction is done. This involves adjusting the cells for the totals of old or new construction. Table C5 shows the calculated adjustment factors for the first rake.

Table C5: Factors for First Rake—Old or New Construction

	Ratio	Factor
New	220/201	1.0945
Old	200/204	0.9804

For new construction, the value of 220 came from the marginal control total of new construction (first row) in Table C4, and the value of 201 came from the marginal estimated total of new construction (first row) in Table C1.

The ratios of Table C5 are then applied to the totals, or, equivalently, the weights of the sample units that are used to calculate the total. Table C6 shows the application of the factors from Table C5 to the totals of Table C1.

Table C6: New Total for First Rake—Old or New Construction

	Owners	Renters
New	110 x 1.0945 = 120.40	91 x 1.0945 = 99.60
Old	97 x 0.9804 = 95.10	107 x 0.9804 = 104.90

Table C7 shows the result of the first rake—the application of the factors from Table C6 to the totals of Table C1.

Table C7: Revised Totals for First Rake—Old or New Construction

	Owners	Renters	Total
New	120.40	99.60	220.00
Old	95.10	104.90	200.00
Total	215.50	204.50	420.00

After the first rake, the revised estimates are now consistent with the old or new construction column totals, but the estimated row totals are not consistent with the tenure control totals.

The tenure totals are then raked using the revised totals in Table C7. The ratio adjustments are calculated with the revised tenure totals from Table C7 and the control totals from Table C4. Table C8 shows the factors needed to adjust the owner or renter columns.

Table C8: Factors for Second Rake—Tenure

	Ratio	Factor
New	210/215.51	0.9745
Old	210/204.505	1.0269

The ratios of Table C8 are then applied to the weights of the sample units within owners and renters in Table C9.

Table C9: New Totals for Second Rake—Tenure

	Owners	Renters
New	120.45 x 0.9745 = 117.33	99.645 x 1.0269 = 102.28
Old	95.06 x 0.9745 = 92.67	104.86 x 1.0269 = 107.75

Table C10 shows the complete result of the second rake—the application of the factors from Table C9 to the totals of Table C7.

Table C10: Revised Totals for Second Rake—Tenure

	Owners	Renters	Total
New	117.33	102.28	219.61
Old	92.67	107.72	200.39
Total	210.00	210.00	420.00

With the second rake, the revised estimates are now consistent with the tenure row totals, but the estimated row totals are not consistent with the tenure control totals. However, both the row and the column totals are closer to the control totals. A third rake is done to adjust for the old or new construction totals again. Table C11 shows the factors of the third rake, and Table C12 shows the resultant totals.

Table C11: Factors for Third Rake—Old or New Construction

	Ratio	Factor
New	220/219.61	1.0018
Old	200/200.39	0.9980

Table C12: Revised Totals for Third Rake—Old or New Construction

	Owners	Renters	Total
New	117.54	102.46	220.00
Old	92.49	107.51	200.00
Total	210.03	209.97	420.00

The fourth rake repeats the adjustment for the tenure totals. Table C13 shows the factors of the fourth rake, and Table C14 shows the resultant totals.

Table C13: Factors for Fourth Rake—Tenure

	Ratio	Factor
Owner	220/210.03	0.9999
Renter	200/2009.97	1.0001

Table C14: Revised Totals for Fourth Rake—Tenure

	Owners	Renters	Total
New	117.52	102.48	220.00
Old	92.48	107.52	200.00
Total	210.00	210.00	420.00

Table C14 shows the final result of the raking. The original estimated totals are now revised so that both the row totals and column totals are consistent with the control totals of old or new construction and tenure.

To clarify how this applies to the weights, note that raking-adjusted weights for the combination of owners and new construction is the product of the weight before raking with the factors of the four rakes, that is,

Raking-adjusted weight = original weight
$$\times$$
 1.0945 \times 0.9745 \times 1.0018 \times 0.9999 = original weight \times 1.0684

The raking-adjusted weights for the other three cells of Example 2 were done similarly.

Note: The adjustment factors in the tables were displayed with rounding to four decimal points. No rounding is done in the actual calculation of the raking prior to their application because the raking would not converge if the factors were rounded.